

Certificate of constancy of performance



| | | | |
|--------|-------------------|--------------|----------------------------|
| Number | 0620-CPR-83350/02 | Replaces | 0620-CPR-83350/01 |
| Issued | 3rd of July 2017 | First issued | July 22 nd 2014 |

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Manually operated ball valves for gas installations

whereby the scope of construction product(s) is listed on page 2 of this certificate

placed on the market under the name or trademark of

V.S.H. Fittings B.V.

and produced in the manufacturing plant

40

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 331: 2015

under system 1 for the performances set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on July 22nd 2014 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Luc Leroy
Kiwa

Advise: consult www.kiwa.nl to check whether the certificate is valid.

CERTIFICATE

Notified Body No. 0620

Kiwa Nederland B.V.

Sir Winston Churchillaan 273

Postbus 70

2280 AB RIJSWIJK

The Netherlands

Tel. +31 (0) 88 998 44 00

Fax +31 (0) 88 998 44 20

info@kiwa.nl

www.1kiwa.com

Manufacturer

VSH Fittings B.V.

Oude Amersfoortseweg 99

1212 AA Hilversum

P.O. Box 498

1200 AL Hilversum

The Netherlands

www.vsh-fittings.com

T 035 6884211

F 035 6884379


Manufacturing plant

40

kiwa
Approved



Certificate of constancy of performance



0620-CPR-83350/02

Manually operated ball valves for gas installations

SCOPE

| Type | DN | Temperature class / MOP | Temperature resistance class |
|------------------|----|----------------------------|---------------------------------|
| K 1015-060401.0 | 12 | -20 / 0,2 | B |
| K 1017-060409.8 | 12 | -20 / 0,2 | B |
| K 1017-060400.1 | 20 | -20 / 0,5 | B |
| K 1019-060410.9 | 12 | -20 / 0,2 | B |
| K 1019-060407.6 | 15 | -20 / 0,2 | B |
| K 1020-060385.6 | 40 | -20 / 5 | B |
| K 1021-060486.8 | 12 | -20 / 0,2 | B |
| K 1021-060487.9 | 12 | -20 / 0,2 | B |
| K 1021-060488.1 | 20 | -20 / 0,5 | B |
| K 1023-060511.0 | 12 | -20 / 0,2 | B |
| K 1023-060513.2 | 12 | -20 / 0,2 | B |
| K 1023-060515.4 | 12 | -20 / 0,2 | B |
| K 1025-060473.6 | 12 | -20 / 0,2 | B |
| K 1025-060474.7 | 12 | -20 / 0,2 | B |
| K 1025-060450.5 | 15 | -20 / 0,2 | B |
| K 1028-060531.9 | 12 | -20 / 0,2 | B |
| K 1028-060530.8 | 15 | -20 / 0,2 | B |
| PY 1023-060802.5 | 12 | -20 / 0,2 | B |
| PY 1025-060800.3 | 12 | -20 / 0,2 | B |
| PY 1028-060801.4 | 12 | -20 / 0,2 | B |
| A 1109-060023.7 | 12 | -20 / 0,2 | B |
| A 1111-060022.6 | 12 | -20 / 0,2 | B |